



SAFETY DATA SHEET

1. Identification

Product identifier STONETECH® Enhancer Pro™ Sealer

Other means of identification None.

Recommended use of the chemical and restrictions on use

Recommended use Sealer.

Restrictions on use Not available.

Details of manufacturer or importer

Company name LATICRETE International

Address 1 Laticrete Park, N
Bethany, CT 06524

Telephone (203)-393-0010

Contact person Steve Fine

Website www.laticrete.com

Emergency phone number Call CHEMTREC day or night
USA/Canada - 1.800.424.9300
Mexico - 1.800.681.9531
Outside USA/Canada
1.703.527.3887

Supplier

Company name LATICRETE Australia

Address P.O. Box 508
Virginia Business Mail Centre
29 Telford Street
VIRGINIA QLD 4014
Australia

Telephone (61) (7) 3865-1599

Website www.laticrete.com

Emergency phone number 1.703.527.3887

2. Hazard(s) identification

Classification of the hazardous chemical

Physical hazards	Flammable liquids	Category 3
Health hazards	Skin corrosion/irritation	Category 2
	Specific target organ toxicity following single exposure	Category 3 narcotic effects
	Aspiration hazard	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2

Label elements, including precautionary statements

Hazard symbol(s)



Signal word	Danger
Hazard Statement(s)	Flammable liquid and vapour. Causes skin irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.
Precautionary Statement(s)	
Prevention	Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist or vapour. Wash thoroughly after handling. Avoid breathing vapours. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.
Response	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE/doctor if you feel unwell. IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. Do NOT induce vomiting. Collect spillage.
Storage	Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards which do not result in classification	Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment.
Supplemental information	None.

3. Composition/information on ingredients

Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Naphtha (petroleum), hydrotreated heavy	64742-48-9	70 - 80

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Description of necessary first aid measures

Inhalation	Move into fresh air and keep at rest. If breathing stops, provide artificial respiration. Get medical attention if any discomfort continues.
Skin contact	Flush thoroughly with water for at least 15 minutes. Wash skin with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Flush thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention immediately.
Ingestion	Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable take to hospital along with these instructions. Get medical attention if symptoms occur.
Personal protection for first-aid responders	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
Symptoms caused by exposure	Skin irritation. Irritation of nose and throat. Irritating to mucous membranes. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.
Medical attention and special treatment	Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical During fire, gases hazardous to health may be formed. Solvent vapours may form explosive mixtures with air.

Special protective equipment and precautions for fire fighters Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Move containers from fire area if you can do it without risk.
Hazchem Code	3Y
General fire hazards	The product is flammable, and heating may generate vapours which may form explosive vapour/air mixtures.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Do not breathe mist or vapour. Avoid contact with skin and eyes. Local authorities should be advised if significant spillages cannot be contained. Stay upwind. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Ventilate closed spaces before entering. Use personal protection recommended in Section 8 of the SDS.
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not contaminate water.
Methods and materials for containment and cleaning up	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Prevent entry into waterways, sewers, basements or confined areas. Keep combustibles (wood, paper, oil etc) away from spilled material. This product is miscible in water. Large Spills: Dike the spilled material, where this is possible. Following product recovery, flush area with water. Cover with plastic sheet to prevent spreading. Absorb spillage with non-combustible, absorbent material. Small Spills: Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use.
Other issues relating to spills and releases	Clean up in accordance with all applicable regulations.

7. Handling and storage

Precautions for safe handling	The product is flammable, and heating may generate vapours which may form explosive vapour/air mixtures. Do not handle or store near an open flame, heat or other sources of ignition. Do not breathe mist or vapour. Avoid contact with skin, eyes and clothing. Do not smoke. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Use only in well-ventilated areas. Avoid prolonged exposure. Use Personal Protective Equipment recommended in section 8 of the SDS. Wash thoroughly after handling. Handle and open container with care.
Conditions for safe storage, including any incompatibilities	Follow rules for flammable liquids. Keep away from heat, sparks and open flame. Store in cool place. Keep in a well-ventilated place. Keep container tightly closed. Keep in an area equipped with sprinklers. Keep this material away from food, drink and animal feed. Use care in handling/storage. Keep away from sources of ignition - No smoking.

8. Exposure controls and personal protection

Control parameters	Follow standard monitoring procedures.
Occupational exposure limits	
Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)	
Components	Type
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)	TWA
	Value
	300 mg/m3
	50 ppm
Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	Follow standard monitoring procedures.

Appropriate engineering controls	Explosion proof exhaust ventilation should be used. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment. Provide easy access to water supply or an emergency shower.
Individual protection measures, for example personal protective equipment (PPE)	
Eye/face protection	Wear goggles/face shield.
Skin protection	
Hand protection	Wear protective gloves. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended by the glove supplier.
Other	Protective shoes or boots. Wear appropriate chemical resistant clothing. Structural firefighters protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations. Wear chemical protective equipment that is specifically recommended by the Personal Protective Equipment manufacturer.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In case of inadequate ventilation or risk of inhalation of vapours, use suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practices. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke. Launder contaminated clothing before reuse. Remove and isolate contaminated clothing and shoes.

9. Physical and chemical properties

Appearance	Clear liquid.
Physical state	Liquid.
Form	Liquid.
Colour	Clear.
Odour	Slight hydrocarbon.
Odour threshold	Not available.
pH	No data available.
Melting point/freezing point	Not applicable.
Initial boiling point and boiling range	> 149 °C (> 300.2 °F)
Flash point	28.0 °C (82.4 °F) Closed cup
Evaporation rate	Not applicable.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	0.809
Solubility(ies)	
Solubility (water)	Insoluble in water.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	> 200 °C (> 392 °F)
Viscosity	Not available.
Other physical and chemical parameters	
VOC	632 g/l

10. Stability and reactivity

Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable under normal temperature conditions. Risk of ignition.
Possibility of hazardous reactions	Hazardous polymerisation does not occur.
Conditions to avoid	Heat, sparks, flames, elevated temperatures.
Incompatible materials	Strong oxidising agents. Strong acids.
Hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

11. Toxicological information

Information on possible routes of exposure

Inhalation	Vapours may cause drowsiness and dizziness.
Skin contact	Causes skin irritation.
Eye contact	May cause eye irritation on direct contact.
Ingestion	Ingestion may cause irritation and malaise.
Symptoms related to exposure	Skin irritation. Irritation of nose and throat. Irritating to mucous membranes.
Acute toxicity	May cause discomfort if swallowed.

Components	Species	Test results
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 4.96 mg/l, 4 Hours
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/irritation	May cause eye irritation.	
Respiratory or skin sensitisation		
Respiratory sensitisation	Not classified.	
Skin sensitisation	Not a skin sensitiser.	
Germ cell mutagenicity	Not classified.	
Carcinogenicity	Not classified.	
Reproductive toxicity	Not classified.	
Specific target organ toxicity - single exposure	May cause drowsiness or dizziness.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	May be fatal if swallowed and enters airways.	
Other information	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. Organic solvents may be absorbed into the body by inhalation and cause permanent damage to the nervous system, including the brain.	

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Components	Species	Test results	
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)			
Aquatic			
Algae	IC50	Algae	10 mg/l, 72 hours
Crustacea	EC50	Daphnia	10 mg/l, 48 hours

Components	Species	Test results
Fish	LC50	Fish
		10 mg/l, 96 hours
Persistence and degradability	No data is available on the degradability of this product.	
Bioaccumulative potential	No data available for this product.	
Mobility in soil	Not available.	
Mobility in general	The product is insoluble in water.	
Other adverse effects	No data available.	

13. Disposal considerations

Disposal methods	Dispose of this material and its container to hazardous or special waste collection point. Do not incinerate sealed containers. Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all applicable regulations.
Residual waste	Dispose of in accordance with local regulations.
Contaminated packaging	Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

ADG

UN number	3295
UN proper shipping name	Hydrocarbons, liquid, n.o.s. (Naphtha (petroleum), hydrotreated heavy)
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	III
Environmental hazards	Yes
Hazchem Code	3Y
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

RID

UN number	3295
UN proper shipping name	Hydrocarbons, liquid, n.o.s. (Naphtha (petroleum), hydrotreated heavy)
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3
Packing group	III
Environmental hazards	Yes
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number	3295
UN proper shipping name	Hydrocarbons, liquid, n.o.s. (Naphtha (petroleum), hydrotreated heavy)
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3
Packing group	III
Environmental hazards	Yes
ERG Code	3L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number	3295
UN proper shipping name	HYDROCARBONS, LIQUID, N.O.S. (Naphtha (petroleum), hydrotreated heavy)
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3
Packing group	III
Environmental hazards	
Marine pollutant	Yes

EmS F-E, S-D

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not available.

General information IATA classification is not relevant as the material is not transported by air.

15. Regulatory information

Safety, health and environmental regulations

National regulations This Material Safety Data Sheet was prepared in accordance with the Australia National Code of Practice for the Preparation of Material Safety Data Sheets (NOHSC: 2011.)

Australia Medicines & Poisons Appendix E

HYDROCARBONS, LIQUID (CAS 64742-48-9)

Australia Medicines & Poisons Schedule 5

HYDROCARBONS, LIQUID, INCLUDING KEROSENE, DIESEL (DISTILLATE), MINERAL TURPENTINE, WHITE PETROLEUM SPIRIT, TOLUENE, XYLENE AND LIGHT MINERAL AND PARAFFIN OILS (BUT EXCLUDING THEIR DERIVATIVES) (CAS 64742-48-9)

High Volume Industrial Chemicals (HVIC)

Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9) 1000 - 9999 TONNES See the regulation for additional information.

Importation of Ozone Deleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)

Not listed.

National Pollutant Inventory (NPI) substance reporting list

Not listed.

Prohibited Carcinogenic Substances

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed.

Restricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

Not listed.

Restricted Carcinogenic Substances

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date 10-October-2016

Revision date -

References HSDB® - Hazardous Substances Data Bank
Registry of Toxic Effects of Chemical Substances (RTECS)

Disclaimer The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.