

## Safety Data Sheet

### LAMPOSILEX

Safety Data Sheet dated: 19/02/2024 - version 9

Date of first edition: 03/05/2017



## Section 1: Identification

### GHS Product identifier

Mixture identification:

Trade name: LAMPOSILEX

Trade code: 901661

### Recommended use of the chemical and restrictions on use

Recommended use: Special hydraulic binder

Uses advised against: Data not available.

### Supplier's details

Company: MAPEI AUSTRALIA Pty Ltd

180 Viking Drive Wacol QLD 4076 Australia

T. +61 7 32765000 (Mon-Fri 8am to 4.30pm)

F. +61 7 32765076

Responsible: sales@mapei.com.au

### Emergency phone number

Australian Poisons Information Centre 24 Hour Service 13 11 26

Police or Fire Brigade 000

## Section 2: Hazard(s) identification



### Classification of the Hazardous chemical

Skin irritation, Category 2

Causes skin irritation.

Serious eye damage, Category 1

Causes serious eye damage.

Skin Sensitisation, Category 1B

May cause an allergic skin reaction.

Specific target organ toxicity – single exposure, Category 3

May cause respiratory irritation.

Adverse physicochemical, human health and environmental effects:

No other hazards

### GHS label elements, including precautionary statements

#### Hazard pictograms and Signal Word



Danger

#### Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

#### Precautionary statements

P261 Avoid breathing dust.

P264 Wash hands thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/clothing and eye/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a doctor if you feel unwell.

P321 Specific treatment (see supplementary instructions on this label)

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P501 Dispose of contents/container in accordance with applicable regulations.

**Other hazards which do not result in a classification**

Other Hazards: No other hazards

This preparation contains cement. Contact between cement and body fluids (e.g. sweat and eye fluids) may cause irritation or burns. Working with materials that contain crystalline silica can make (or generate) a dangerous dust called respirable crystalline silica (RCS). Prolonged exposure and/or intensive inhalation of RCS (average diameter less than 10 micron in accordance with ACGIH) can cause pulmonary fibrosis commonly referred to as silicosis.

Care must be exercised during the opening of products containing crystalline silica and mixing of these products during preparation for usage; reduce the formation of airborne dust as much as possible, and avoid spills of product outside the mixing vessel and on working clothes.

Using tools to process materials (such as cutting, grinding, drilling, or polishing) that contain crystalline silica content can be hazardous and may generate RCS. Residual dust on tools, equipment, and working clothes can also present a risk.

It is important to ensure that a workplace is not exposed to respirable crystalline silica (RCS) at a level higher than the exposure standard (S8).

To fully understand your responsibilities in the workplace regarding RCS, please refer to the relevant WHS regulations and Codes of Practice in your jurisdiction.

---

**Section 3: Composition and information on ingredients**

**Substances**

no data available

**Mixtures**

Mixture identification: LAMPOSILEX

**Hazardous components within the meaning of the "Australian Work Health and Safety (WHS)" regulation and related classification:**

Qty	Name	Ident. Numb.	Classification	Registration Number
≥20 - <25 %	portland cement, Cr(VI) < 2 ppm	CAS:65997-15-1 EC:266-043-4	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Dam. 1, H318; STOT SE 3, H335	
≥5 - <10 %	calcium hydroxide	CAS:1305-62-0 EC:215-137-3	Skin Irrit. 2, H315; Eye Dam. 1, H318; STOT SE 3, H335	01-2119475151-45-XXXX

---

**Section 4: First-aid measures**

**Description of necessary first-aid measures**

In case of skin contact:

- Immediately take off all contaminated clothing.
- OBTAIN IMMEDIATE MEDICAL ATTENTION.
- Remove contaminated clothing immediately and dispose of safely.
- After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

- After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
- Protect uninjured eye.

In case of Ingestion:

- Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

- In case of inhalation, consult a doctor immediately and show him packing or label.

**Symptoms caused by exposure**

- Eye irritation
- Eye damages
- Skin Irritation
- Erythema

**Medical attention and special treatment**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

---

**Section 5: Firefighting measures**

**Suitable extinguishing media**

- None in particular.
- Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

**Specific hazards arising from the chemical**

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: no data available

Explosive properties: ==

Oxidizing properties: no data available

**Special protective equipment and precautions for fire-fighters**

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

**HazChem Code/Emergency Action code**

N.A.

**Section 6: Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

**Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

**Methods and material for containment and cleaning up**

Take up mechanically and dispose of according to local/state/federal regulations

Suitable material for taking up: absorbing material, organic, sand

Scoop into containers and seal for disposal.

Wash with plenty of water.

Retain contaminated washing water and dispose it.

**Section 7: Handling and storage**

**Precautions for safe handling**

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not use on extensive surface areas in premises where there are occupants.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

**Conditions for safe storage, including any incompatibilities**

Always keep in a well ventilated place.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

**Section 8: Exposure controls and personal protection**

**Control parameters – exposure standards, biological monitoring**

**Community Occupational Exposure Limits (OEL)**

	<b>OEL Type</b>	<b>Country</b>	<b>Occupational Exposure Limit</b>
portland cement, Cr(VI) < 2 ppm CAS: 65997-15-1	AUS		Long Term: 10 mg/m <sup>3</sup> 10 mg/m <sup>3</sup> PEL
	OSHA		Long Term: 15 mg/m <sup>3</sup>
	OSHA		Long Term: 5 mg/m <sup>3</sup>
	ACGIH		Long Term: 1 mg/m <sup>3</sup>

A4 - Not Classifiable as a Human Carcinogen;pulmonary function;respiratory symptoms;asthma

ACGIH	AUSTRALIA	Long Term: 1 mg/m3 A4 - Not Classifiable as a Human Carcinogen;pulmonary function;respiratory symptoms;asthma
AUS	AUSTRALIA	Long Term: 10 mg/m3 10 mg/m3 PEL
National	BELGIUM	Long Term: 1 mg/m3
National	CROATIA	Long Term: 10 mg/m3; Short Term: 10 mg/m3
National	CROATIA	Long Term: 4 mg/m3; Short Term: 10 mg/m3
National	CROATIA	Long Term: 10 mg/m3
National	CROATIA	Long Term: 4 mg/m3
National	FINLAND	Long Term: 1 mg/m3 FINLAND, respirabel fraktion
National	FINLAND	Long Term: 5 mg/m3
National	FINLAND	Long Term: 1 mg/m3 inhalable dust
National	HUNGARY	Long Term: 10 mg/m3; Short Term: 30 mg/m3
National	LATVIA	Long Term: 6 mg/m3
National	PORTUGAL	Long Term: 10 mg/m3
National	PORTUGAL	Long Term: 1 mg/m3
National	ROMANIA	Long Term: 10 mg/m3
National	SPAIN	Long Term: 4 mg/m3 5 mg/m3 TWA (containing <1% of free Silica, respirable dust);10 mg/m3 TWA (containing <1% of free Silica, total dust)
National	SPAIN	Long Term: 4 mg/m3
National	UNITED KINGDOM	Long Term: 10 mg/m3 inhalable dust
National	UNITED KINGDOM	Long Term: 4 mg/m3; Short Term: 10 mg/m3 respirable dust
National	UNITED KINGDOM	Long Term: 10 mg/m3; Short Term: 30 mg/m3 5 mg/m3 TWA (containing <1% of free Silica, respirable dust);10 mg/m3 TWA (containing <1% of free Silica, total dust)
National	UNITED KINGDOM	Long Term: 4 mg/m3
National	UNITED KINGDOM	Long Term: 10 mg/m3; Short Term: 30 mg/m3
National	UNITED KINGDOM	Long Term: 10 mg/m3; Short Term: 12 mg/m3
National	UNITED KINGDOM	Long Term: 4 mg/m3; Short Term: 30 mg/m3
calcium hydroxide CAS: 1305-62-0	ACGIH	Long Term: 5 mg/m3
	OSHA	Long Term: 15 mg/m3
	OSHA	Long Term: 5 mg/m3
	ACGIH	Long Term: 5 mg/m3 eye, skin and upper respiratory tract irritation
	AUS AUSTRALIA	Long Term: 5 mg/m3
	National GREECE	Long Term: 1 mg/m3; Short Term: 4 mg/m3
	National DENMARK	Long Term: 1 mg/m3
	National PORTUGAL	Long Term: 5 mg/m3
	National BELGIUM	Long Term: 5 mg/m3
	National CZECH REPUBLIC	Short Term: Ceiling - 4 mg/m3
	National SLOVENIA	Long Term: 5 mg/m3

National ROMANIA	Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup>
OSHA	Long Term: 15 mg/m <sup>3</sup>
OSHA	Long Term: 5 mg/m <sup>3</sup>
ACGIH	Long Term: 5 mg/m <sup>3</sup> eye, skin and upper respiratory tract irritation
National SWEDEN	Long Term: 1 mg/m <sup>3</sup>
National FRANCE	Long Term: 5 mg/m <sup>3</sup>
National SPAIN	Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup>
National DENMARK	Long Term: 5 mg/m <sup>3</sup>
National FINLAND	Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup>
National GERMANY	Long Term: 1 mg/m <sup>3</sup>
National PORTUGAL	Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup>
National NORWAY	Long Term: 1 mg/m <sup>3</sup> ; Short Term: 2 mg/m <sup>3</sup>
National BELGIUM	Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup>
National CZECH REPUBLIC	Long Term: 1 mg/m <sup>3</sup>
National HUNGARY	Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup>
National ESTONIA	Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup>
National LATVIA	Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup>
National SLOVAKIA	Long Term: 5 mg/m <sup>3</sup>
National SLOVENIA	Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup>
National UNITED KINGDOM	Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup>
National UNITED KINGDOM	Long Term: 1 mg/m <sup>3</sup> ; Short Term: 15 mg/m <sup>3</sup>
National UNITED KINGDOM	Long Term: 5 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup>
National BULGARIA	Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup>
National LITHUANIA	Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup>
National CROATIA	Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup>

### Predicted No Effect Concentration (PNEC) values

calcium hydroxide Exposure Route: Fresh Water; PNEC Limit: 0.49 mg/l  
CAS: 1305-62-0

### Appropriate engineering controls

no data available

### Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; AS/NZS 2161.10:

Polychloroprene - CR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Nitrile rubber - NBR: thickness  $\geq 0,35\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Butyl rubber - IIR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Fluorinated rubber - FKM: thickness  $\geq 0,4\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Nitrile gloves are suggested (1,3 mm; 480 min). Not recommended gloves: not waterproof gloves

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to AS/NZS 1715-1716 for information on selection and use of appropriate respiratory protection equipment.

Use respiratory protection where ventilation is insufficient or exposure is prolonged.

---

## Section 9: Physical and chemical properties

Physical state: Solid

Appearance: solid

Color: Grey  
Odour: cement like  
pH (water dispersion, 10%):  
pH:

12.00

no data available

Melting point / freezing point: no data available  
Initial boiling point and boiling range: no data available  
Flash point: no data available  
Evaporation rate: no data available  
Lower and upper explosion limit/flammability limits:  
Flammability (Solid, Gas) no data available

no data available

Vapour pressure: no data available  
Vapour density: no data available  
Relative density: no data available  
Solubility in water: partly soluble  
Solubility in oil: insoluble  
Partition coefficient (n-octanol/water): no data available  
Auto-ignition temperature: no data available  
Kinematic viscosity: no data available  
Decomposition temperature: no data available  
Volatile Organic compounds - VOCs = No data available

**Particle characteristics:**

Particle size: no data available  
Particle size distribution: no data available  
Shape and aspect ratio: no data available  
Specific surface area: no data available

---

## Section 10: Stability and reactivity

### Reactivity

Stable under normal conditions

### Chemical stability

no data available

### Possibility of hazardous reactions

None.

### Conditions to avoid

Stable under normal conditions.

### Incompatible materials

None in particular.

### Hazardous decomposition products

None.

---

## Section 11: Toxicological information

### Information on toxicological effects

Contains cement. Cement gives a strong alkaline reaction with water and body fluids (e.g. sweat and eye fluids), therefore the contact with skin and eyes should be carefully avoided.

### Toxicological Information of the Preparation

- |                                      |  |
|--------------------------------------|--|
| a) acute toxicity                    | Not classified<br>Based on available data, the classification criteria are not met |
| b) skin corrosion/irritation         | The product is classified: Skin irritation, Category 2(H315)                       |
| c) serious eye damage/irritation     | The product is classified: Serious eye damage, Category 1(H318)                    |
| d) respiratory or skin sensitisation | The product is classified: Skin Sensitisation, Category 1B(H317)                   |
| e) germ cell mutagenicity            | Not classified<br>Based on available data, the classification criteria are not met |
| f) carcinogenicity                   | Not classified<br>Based on available data, the classification criteria are not met |
| g) reproductive toxicity             | Not classified<br>Based on available data, the classification criteria are not met |

h) STOT-single exposure	The product is classified: Specific target organ toxicity — single exposure, Category 3(H335)
i) STOT-repeated exposure	Not classified Based on available data, the classification criteria are not met
j) aspiration hazard	Not classified Based on available data, the classification criteria are not met

**Toxicological information on main components of the mixture:**

calcium hydroxide	a) acute toxicity	LD50 Oral Rat > 2000 mg/kg LD50 Skin Rabbit > 2500 mg/kg LD50 Oral Rat = 7340 mg/kg
-------------------	-------------------	---

**Section 12: Ecological information**

**Ecotoxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

**List of Eco-Toxicological properties of the product**

Not classified for environmental hazards.

Based on available data, the classification criteria are not met

**List of Eco-Toxicological properties of the components**

Component	Ident. Numb.	Ecotox Data
calcium hydroxide	CAS: 1305-62-0 - EINECS: 215-137-3	a) Aquatic acute toxicity : LC50 Fish = 50.6 mg/L 96  a) Aquatic acute toxicity : LC50 Fish = 457 mg/L 96 a) Aquatic acute toxicity : EC50 Daphnia = 49.1 mg/L 48 a) Aquatic acute toxicity : EC50 Algae = 184.57 mg/L 72 e) Plant toxicity : NOEC = 1080 mg/kg - 21 d

**Persistence and degradability**

no data available

**Bioaccumulative potential**

no data available

**Mobility in soil**

no data available

**Other adverse effects**

no data available

**Section 13: Disposal considerations**

**Disposal methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

no data available

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

---

## Section 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

### UN number

no data available

### UN proper shipping name

no data available

### Transport hazard class(es)

no data available

### Packing group, if applicable

no data available

### Environmental hazards

no data available

### Special precautions for user

ADG-Subsidiary hazards no data available

ADG-S.P.: no data available

### Road and Rail (ADR-RID):

no data available

ADR-Hazard identification number: NA

### Air (IATA):

no data available

### Sea (IMDG):

no data available

### Additional Information

no data available

### HazChem Code/Emergency Action code

no data available

---

## Section 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question

This Safety Data Sheet has been prepared according to the Australian Work Health and Safety (WHS) act and the Code of Practice on preparation of safety data sheets for Hazardous Chemicals.

AICIS: all components are listed

---

## Section 16: Any other relevant information

Code	Description
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

Code	Hazard class and hazard category	Description
3.2/2	Skin Irrit. 2	Skin irritation, Category 2
3.3/1	Eye Dam. 1	Serious eye damage, Category 1
3.4.2/1B	Skin Sens. 1B	Skin Sensitisation, Category 1B
3.8/3	STOT SE 3	Specific target organ toxicity — single exposure, Category 3

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate



ATEmix: Acute toxicity Estimate (Mixtures)  
BCF: Biological Concentration Factor  
BEI: Biological Exposure Index  
BOD: Biochemical Oxygen Demand  
CAS: Chemical Abstracts Service (division of the American Chemical Society).  
CAV: Poison Center  
CE: European Community  
CLP: Classification, Labeling, Packaging.  
CMR: Carcinogenic, Mutagenic and Reprotoxic  
COD: Chemical Oxygen Demand  
COV: Volatile Organic Compound  
CSA: Chemical Safety Assessment  
CSR: Chemical Safety Report  
DMEL: Derived Minimal Effect Level  
DNEL: Derived No Effect Level.  
DPD: Dangerous Preparations Directive  
DSD: Dangerous Substances Directive  
EC50: Half Maximal Effective Concentration  
ECHA: European Chemicals Agency  
EINECS: European Inventory of Existing Commercial Chemical Substances.  
ES: Exposure Scenario  
GefStoffVO: Ordinance on Hazardous Substances, Germany.  
GHS: Globally Harmonized System of Classification and Labeling of Chemicals.  
IARC: International Agency for Research on Cancer  
IATA: International Air Transport Association.  
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).  
IC50: half maximal inhibitory concentration  
ICAO: International Civil Aviation Organization.  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).  
IMDG: International Maritime Code for Dangerous Goods.  
INCI: International Nomenclature of Cosmetic Ingredients.  
IRCCS: Scientific Institute for Research, Hospitalization and Health Care  
KAFH: KAFH  
KSt: Explosion coefficient.  
LC50: Lethal concentration, for 50 percent of test population.  
LD50: Lethal dose, for 50 percent of test population.  
LDLo: Leathal Dose Low  
N.A.: Not Applicable  
N/A: Not Applicable  
N/D: Not defined/ Not available  
NA: Not available  
NIOSH: National Institute for Occupational Safety and Health  
NOAEL: No Observed Adverse Effect Level  
OSHA: Occupational Safety and Health Administration  
PBT: Persistent, Bioaccumulative and Toxic  
PGK: Packaging Instruction  
PNEC: Predicted No Effect Concentration.  
PSG: Passengers  
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.  
STEL: Short Term Exposure limit.  
STOT: Specific Target Organ Toxicity.  
TLV: Threshold Limiting Value.  
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).  
vPvB: Very Persistent, Very Bioaccumulative.  
WGK: German Water Hazard Class.

**Paragraphs modified from the previous revision:**

- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION