




MAPEI
GROUTS.
44 COLOURS
WITH UNIQUE
PERFORMANCES.





100 WHITE



103 MOON WHITE



110 MANHATTAN 2000



111 SILVER GREY

NEW



123 ANCIENT WHITE



112 MEDIUM GREY



113 CEMENT GREY



114 ANTHRACITE

NEW



127 ARCTIC GREY

NEW



187 LINEN

NEW



176 GREEN-GREY



174 TORNADO

NEW



125 CASTLE GREY



119 LONDON GREY

NEW



163 LIGHT LILAC

NEW



168 CERULEAN

NEW



167 AVIO

NEW



169 STEEL BLUE



172 SPACE BLUE

NEW



177 SAGE



130 JASMINE



131 VANILLA



CARRIBEAN **137**



BEIGE 2000 **132**



ALMOND **138**



CARAMEL **141**



BROWN **142**



SPELT **189**



SAND **133**



SILK **134**



GOLDEN DUST **135**



BISCUIT **188**



LIQUORICE **152**



CHOCOLATE **144**



VOLCANO SAND **149**



TERRA DI SIENA **145**



TERRACOTTA **143**



MUD **136**




CAPPUCINO **147**



BLACK **120**



YELLOW **150**



TRANSLUCENT **700**



MAPEGLITTER GOLD + **700**



MAPEGLITTER SILVER + **700**

Ultracolor Plus

High-performance, cementitious mortar for grouting joints up to 20mm wide; it allows quick opening to traffic.



WATER-REPELLENT



MOULD-RESISTANT



ANTI-EFFLORESCENCE

Keracolor SF

High-performance cementitious mortar for grouting joints up to 4 mm wide.



FINE-GRAINED



EASY WORKABILITY



DURABLE & STRONG

Keracolor FF

High-performance, polymer-modified cementitious mortar for grouting joints up to 6mm wide.



WATER-REPELLENT



DURABLE & STRONG



EASY WORKABILITY

Keracolor GG

High-performance, polymer-modified cementitious mortar for grouting joints 4 to 15mm wide.



EASY WORKABILITY



DURABLE & STRONG



TRAFFIC-RESISTANT

Kerapoxy Easy Design NEW

Two-component epoxy mortar, with BioBlock® technology, ideal for grouting ceramic tiles, mosaics and stone material. HACCP compliant.



IMPROVED
WORKABILITY
& CLEANABILITY



VERY LOW
EMISSION
OF VOC



ANTI-BACTERIAL
GROUT

Kerapoxy

Two-component, high-performance epoxy mortar for grouting ceramic tiles and stone material.



HIGH CHEMICAL
RESISTANCE



VERY LOW EMISSION
OF VOC



HACCP COMPLIANT

Kerapoxy CQ

Two-component epoxy mortar, with BioBlock® technology, ideal for grouting ceramic tiles, mosaics and stone material. Very low emission of VOC and HACCP compliant.



HIGH CHEMICAL
RESISTANCE



IMPROVED
WORKABILITY
& CLEANABILITY



ANTI-BACTERIAL
GROUT

Mapesil AC

Pure acetic silicone sealant.



VERY LOW EMISSION
OF VOC



WITH BIOBLOCK
TECHNOLOGY



HIGH ELASTICITY

Mapesil LM

Neutral silicone sealant for movements up to 25%.



VERY LOW EMISSION
OF VOC



WITH BIOBLOCK
TECHNOLOGY



DOES NOT STAIN,
IDEAL FOR STONE



Download grouts and
sealants information

All Mapei grouts for ceramic tiles and stone material are in compliance with EN 13888 standards. Due to the printing processes involved, the colours should be taken as merely indicative of the shades of the actual product. Please refer to the real colour samples.

		<i>Ultracolor Plus</i>	<i>Keracolor SF</i>	<i>Keracolor FF</i>	<i>Keracolor GG</i>	<i>Kerapoxy</i>	<i>Kerapoxy CQ</i>	<i>Kerapoxy Easy Design</i>	<i>MapeGlitter</i>	<i>Mapesil AC</i>	<i>Mapesil LM</i>
	100	●	●	●	●	●		●		●	●
	103	●		●				●		●	
	111	●		●	●	●		●		●	●
NEW	123	●						●		●	
	112	●		●	●	●		●		●	●
	113	●		●	●	●		●		●	●
	114	●		●	●	●		●		●	●
NEW	127	●						●		●	
	110	●		●	●	●		●		●	●
NEW	187	●						●		●	
NEW	176	●						●		●	
	174	●						●		●	
NEW	125	●						●		●	
	119	●		●				●		●	
NEW	163	●						●		●	
NEW	168	●						●		●	
NEW	167	●						●		●	
NEW	169	●						●		●	
	172	●				●		●		●	
NEW	177	●						●		●	
	130	●		●	●	●		●		●	●
	131	●				●		●		●	
	137	●						●		●	
	132	●		●	●	●		●		●	●
	138	●						●		●	
	141	●		●	●	●		●		●	
	142	●		●	●			●		●	

		<i>Ultracolor Plus</i>	<i>Keracolor SF</i>	<i>Keracolor FF</i>	<i>Keracolor GG</i>	<i>Kerapoxy</i>	<i>Kerapoxy CQ</i>	<i>Kerapoxy Easy Design</i>	<i>MapeGlitter</i>		<i>Mapesil AC</i>	<i>Mapesil LM</i>
NEW	189	●						●			●	
	133	●		●				●			●	
	134	●		●				●			●	
NEW	188	●						●			●	
	135	●						●			●	
	152	●						●			●	
	144	●		●	●	●		●			●	
	149	●						●			●	
	145	●		●	●	●		●			●	
	143	●				●		●			●	
	136	●						●			●	
	147						●					
	120	●		●	●	●		●			●	●
	150	●				●		●			●	
	700							●			●	
	700 + GOLD*								●			
	700 + SILVER*								●			

* For the correct use of **MapeGlitter**, always refer to relevant technical data sheets.

* Some colours and products are subject to a lead time once ordered. For more information please contact your Mapei sales representative or email sales@mapei.com.au

Due to the printing processes involved, the colours should be taken as merely indicative of the shades of the actual product. For an accurate colour representation, please refer to Mapei **"Coloured Grouts"** samples. Colours can be affected by the surface (where they are used) and the brightness of the environment.

MAPEI Australia Pty Ltd

180 Viking Drive, Wacol
QLD 4076

Ph: 07 3276 5000

E: sales@mapei.com.au

W: mapei.com.au

