

#### **Safety Data Sheet**

Conforms to Regulation (EC) No. 1907/2006 (REACH), Article 31, Annex II, as amended by Commission Regulation (EU) 2020/878

**AQUASTOP FLEX (B)**Date of first edition: 7/2/2021
Safety Data Sheet dated 7/2/2021

version 3

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Mixture identification:

Trade name: AQUASTOP FLEX (B)

Trade code: B0037 .032

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Waterproofing agent Uses advised against: Not available

#### 1.3. Details of the supplier of the safety data sheet

Company: KERAKOLL S.p.A.

Via dell'Artigianato, 9

41049 Sassuolo (MODENA) - ITALY

Tel.+39 0536 816511 Fax. +39 0536816581

safety@kerakoll.com

#### 1.4. Emergency telephone number

European emergency phone number 112

Kerakoll Italy - +39-0536-816511

Ireland

Poison information centre: 01 809 2166 (Daily 8am-10pm)

In case of emergency call 999 or 112

Malta

In case of emergency call: +356 2395 2000 (24h)

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Regulation (EC) n. 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

#### 2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

### **Special Provisions:**

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

(3:1). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

# Special provisions according to Annex XVII of REACH and subsequent amendments:

None

#### 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq$  0.1%.

Other Hazards: Contains:biocidal product. Contains: C(M)IT/MIT (3:1). The product is identified as an article treated pursuant to art. 58 of Regulation (EU) no. 528/2012 and subsequent amendments. It is recommended to avoid possible exposure to the skin. Protective gloves and work clothes are recommended. Minimize the uncontrolled release of product into the environment. When washing work equipment, water must not be dispersed in the soil or on surface water.

Date 7/2/2021 Production Name AQUASTOP FLEX (B) Page n. 1 of 10

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

N.A.

#### 3.2. Mixtures

Mixture identification: AQUASTOP FLEX (B)

### Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb.	Classification	Registration Number
< 0,1 %	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	CAS:2634-33-5 EC:220-120-9 Index:613-088-00-6	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Acute Tox. 4, H302 Skin Sens. 1, H317 Aquatic Chronic 2, H411, M- Acute:1	01-2120761540-60
			Specific Concentration Limits: $C \ge 0.05\%$ : Skin Sens. 1 H317	
< 0,0015 %	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS:55965-84-9 Index:613-167-00-5	Acute Tox. 2, H330 Acute Tox. 2, H310 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410, M-Chronic:100, M-Acute:100, EUH071 $ \begin{array}{l} \text{Specific Concentration Limits:} \\ C \geq 0.6\%: \text{Skin Corr. 1C H314} \\ 0.06\% \leq C < 0.6\%: \text{Skin Irrit. 2} \\ \text{H315} \\ C \geq 0.6\%: \text{Eye Dam. 1 H318} \\ 0.06\% \leq C < 0.6\%: \text{Eye Irrit. 2} \\ \text{H319} \\ C \geq 0.0015\%: \text{Skin Sens. 1A H317} \\ \end{array} $	

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and label hazardous.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

### 4.2. Most important symptoms and effects, both acute and delayed

N.A.

## 4.3. Indication of any immediate medical attention and special treatment needed

N.A.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

#### 5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

 Date
 7/2/2021
 Production Name
 AQUASTOP FLEX (B)
 Page n. 2 of 10

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

### 6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

#### 6.4. Reference to other sections

See also section 8 and 13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhaltion of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

### 7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

#### 7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

# **Community Occupational Exposure Limits (OEL)**

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Notes
reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	NATIONAL	AUSTRIA		0.050				
	NATIONAL	GERMANY		0.200		0.400		DFG; Long term and short term: inhalable fraction
	NATIONAL	SWITZERLA ND	A	0.200		0.400		Inhalable fraction
	NATIONAL	KOREA, REPUBLIC OF		0.100				
	NATIONAL	NETHERLA NDS		0.200				

### **Predicted No Effect Concentration (PNEC) values**

			,		
(	Component	CAS-No.	PNEC Limit	<b>Exposure Route</b>	<b>Exposure Frequency</b>
C	1,2-benzisothiazol-3(2H)- one; 1,2-benzisothiazolin- 3-one		4.030 μg/l	Freshwater	
			1.100 µg/l	Intermittent releases (freshwater)	

Date 7/2/2021 Production Name AQUASTOP FLEX (B) Page n. 3 of 10

		403.000 ng/L	Marine water
		110.000 ng/L	Intermittent releases (marine water)
		1.030 mg/l	Microorganisms in sewage treatments
		49.900 μg/kg	Freshwater sediments
		4.990 μg/kg	Marine water sediments
		3.000 mg/kg	Soil
reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1)	55965-84-9	3.390 µg/l	Freshwater
		3.390 µg/l	Intermittent releases (freshwater)
		3.390 µg/l	Marine water
		3.390 µg/l	Intermittent releases (marine water)
		230.000 μg/l	Microorganisms in sewage treatments
		27.000 μg/l	Freshwater sediments
		27.000 μg/l	Marine water sediments
		10.000 μg/l	Soil

## **Derived No Effect Level (DNEL) values**

	` '					
Component	CAS-No.	Worker Industry	Worker Professional	Consumer	Exposure Route	Exposure Frequency
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			6.810 mg/m <sup>3</sup>	1.200 mg/m <sup>3</sup>	Human Inhalation	Long Term, systemic effects
			966.000 µg/kg	345.000 μg/kg	Human Dermal	Long Term, systemic effects
reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1)	55965-84-9		20.000 μg/m³	20.000 μg/m³	Human Inhalation	Long Term, local effects
			40.000 μg/m³	20.000 μg/m³	Human Inhalation	Short Term, local effects
				90.000 μg/kg	Human Oral	Long Term, systemic effects
				110.000 µg/kg	Human Oral	Short Term, systemic effects

### 8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

N.A.

Thermal Hazards:

N.A.

Environmental exposure controls:

N.A.

Hygienic and Technical measures

N.A.

Date 7/2/2021 Production Name AQUASTOP FLEX (B) Page n. 4 of 10

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical State Liquid Color: Whitish

Odour: Characteristic Odour threshold: N.A.

pH: = 7.50

Kinematic viscosity: N.A.

Melting point / freezing point: N.A.

Initial boiling point and boiling range: N.A.

Flash point: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A. Vapour pressure: N.A. Relative density: 1.02 g/cm3 Solubility in water: Soluble Solubility in oil: N.A.

Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A. Decomposition temperature: N.A.

Flammability: N.A.

Volatile Organic compounds - VOCs = 0 %; 0 g/l

**Particle characteristics:** 

Particle size: N.A.

9.2. Other information

Miscibility: N.A.

Conductivity: N.A.

Evaporation rate: N.A. No other relevant information

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Stable under normal conditions

# 10.2. Chemical stability

Data not available.

#### 10.3. Possibility of hazardous reactions

None.

### 10.4. Conditions to avoid

Stable under normal conditions.

### 10.5. Incompatible materials

None in particular.

## 10.6. Hazardous decomposition products

None.

### **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### **Toxicological Information of the Preparation**

a) acute toxicity Not classified

Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met

c) serious eye damage/irritation Not classified

Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation Not classified

Based on available data, the classification criteria are not met

e) germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity Not classified

Date 7/2/2021 Production Name AQUASTOP FLEX (B) Page n. 5 of 10

Based on available data, the classification criteria are not met

h) STOT-single exposure Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard Not classified

Based on available data, the classification criteria are not met

### Toxicological information on main components of the mixture:

1,2-benzisothiazol-3(2H)- a) acute toxicity

LD50 Oral Rat = 670.00000 mg/kg

one; 1,2-benzisothiazolin-

3-one

LD50 Skin Rat > 2000.00000 mg/kg

b) skin corrosion/irritation Skin Irritant Rabbit Negative

c) serious eye damage/irritation

Eye Corrosive Positive

irreversible damage

Oral route

d) respiratory or skin

sensitisation

Skin Sensitization Guineapig Positive

f) carcinogenicity Genotoxicity Rat Negative

g) reproductive toxicity No Observed Adverse Effect Level Oral Rat =

112.00000 mg/kg

reaction mass of 5chloro-2-methyl-2Hisothiazol-3-one and 2methyl-2H-isothiazol-3one (3:1)

a) acute toxicity LD50 Oral Rat = 69.00 mg/kg

LD50 Skin Rabbit = 141.00 mg/kg LC50 Inhalation Rat = 0.33 mg/l 4h

b) skin corrosion/irritation Skin Irritant Rabbit Positivec) serious eyeEye Corrosive Rabbit Positive

damage/irritation

d) respiratory or skin sensitisation

Skin Sensitization Positive

f) carcinogenicity Genotoxicity Negative

Carcinogenicity Skin Negative

g) reproductive toxicity No Observed Adverse Effect Level Oral Rat =

22.70000 mg/kg

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties:**

No endocrine disruptor substances present in concentration >= 0.1%

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

#### List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

No data available for the product

### List of Eco-Toxicological properties of the components

#### Component Ident. Numb. Ecotox Data

1,2-benzisothiazol-3(2H)-one; 1,2- CAS: 2634-33-5 a) Aquatic acute toxicity: LC50 Fish Oncorynchus mykiss = 2.15000 mg/L 96h

benzisothiazolin-3-one - EINECS: 220- OECD Guideline 203

120-9 - INDEX: 613-088-00-6

a) Aquatic acute toxicity: EC50 Daphnia Daphnia magna = 2.90000 mg/L 48h

Date 7/2/2021 Production Name AQUASTOP FLEX (B) Page n. 6 of 10

- a) Aquatic acute toxicity: EC50 Algae green alga Selenastrum capricornutum freshwater algae =  $110.00000 \mu g/L$  OECD Guideline 201
- d) Terrestrial toxicity: EC50 Worm Eisenia fetida > 410.60000 mg/kg OECD Guideline 207 - Duration 14d
- d) Terrestrial toxicity: EC10 soil microorganisms = 263.70000 mg/kg long term
- a) Aquatic acute toxicity: NOEC Sludge activated sludge 10.30000 mg/L 3h OECD Guideline 209
- e) Plant toxicity: LC50 Triticum aestiyum = 200.00000 mg/kg OECD Guideline

reaction mass of 5-chloro-2methyl-2H-isothiazol-3-one and 2- 9 - INDEX: 613- 96h EPA OPP 72-1 (Fish Acute Toxicity Test) methyl-2H-isothiazol-3-one (3:1) 167-00-5

- CAS: 55965-84- a) Aquatic acute toxicity: LC50 Fish Oncorhynchus mykiss = 0.19000 mg/L
  - b) Aquatic chronic toxicity: NOEC Fish Danio rerio = 0.02000 mg/L ,,OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) - 35days
  - a) Aquatic acute toxicity: LC50 Daphnia Daphnia magna = 0.16000 mg/L 48h EPA OPP 72-2 (Aquatic Invertebrate Acute Toxicity Test)
  - b) Aquatic chronic toxicity: NOEC Daphnia Daphnia magna = 0.10000 mg/L EPA OPP 72-4 (Fish Early Life-Stage and Aquatic Invertebrate Life-Cycle Studies) - 21days
  - a) Aquatic acute toxicity: EC50 Algae Skeletonema costatum = 0.00 mg/L 96h ,,OECD Guideline 201 (Alga, Growth Inhibition Test)
  - a) Aquatic acute toxicity: EC50 Sludge activated sludge = 4.50000 mg/L 3h ,,OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)
  - d) Terrestrial toxicity: LC50 Worm Eisenia fetida = 613.00000 mg/kg ,,OECD Guideline 207 (Earthworm, Acute Toxicity Tests) - 14days
  - e) Plant toxicity: NOEC Trifolium pratense, Oryza sativa, Brassica napus = 1000.00000 mg/L OECD Guideline 208 (Terrestrial Plants Test: Seedling Emergence and Seedling Growth Test) - 21days

#### 12.2. Persistence and degradability

Component	Persitence/Degradabili Test		Notes	
1,2-benzisothiazol-3(2H)-one; 1,2 benzisothiazolin-3-one	<b>ty:</b> 2- Non-readily biodegradable	CO2 production	OECD Guideline 301C	
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2 methyl-2H-isothiazol-3-one (3:1)	Non-readily - biodegradable			

#### 12.3. Bioaccumulative potential

Component	Bioaccumulation	Test	Value	Notes
1,2-benzisothiazol-3(2H)-one; 1,2 benzisothiazolin-3-one	- Bioaccumulative	BCF - Bioconcentrantion factor	6.620	
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	Bioaccumulative -	BCF - Bioconcentrantion factor	54.000	≤ 54

#### 12.4. Mobility in soil

NΑ

## 12.5. Results of PBT and vPvB assessment

No PBT/vPvB Ingredients are present

# 12.6 Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

### 12.7 Other adverse effects

N.A.

### SECTION 13: Disposal considerations

7/2/2021 **Production Name** AQUASTOP FLEX (B) Page n. 7 of 10 Date

#### 13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

A waste code according to European waste catalogue (EWC) cannot be specified, due to dependence on the usage. Contact an authorized waste disposal service.

### Properties of waste which render it hazardous (Annex III, Directive 2008/98/EC):

N.A.

#### **SECTION 14: Transport information**

Not classified as dangerous in the meaning of transport regulations.

#### 14.1. UN number or ID number

N.A.

### 14.2. UN proper shipping name

ΝΔ

### 14.3. Transport hazard class(es)

N.A.

#### 14.4. Packing group

NΑ

#### 14.5. Environmental hazards

N.A.

### 14.6. Special precautions for user

N.A.

Road and Rail (ADR-RID):

N.A.

Air (IATA):

N.A.

Sea ( IMDG ):

N.A.

### 14.7. Maritime transport in bulk according to IMO instruments

N.A.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/878

Regulation (EC) nr 648/2004 (Detergents).

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: None

Restrictions related to the substances contained: 28

Provisions related to directive EU 2012/18 (Seveso III):

N.A

### Regulation (EU) 649/2012 (PIC regulation):

No Substance Listed

German Water Hazard Class.

 Date
 7/2/2021
 Production Name
 AQUASTOP FLEX (B)
 Page n. 8 of 10

NWG: Not hazardous for water

SVHC Substances:

No data available

### REGULATION (EU) No 528/2012

The product is identified as an article treated pursuant to art. 58 of Regulation (EU) no. 528/2012 and subsequent amendments.

Substances included in Regulation (EU) n. 528/2012 (concerning the making available on the market and use of biocidal products):

Nomenclature IUPAC: Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (Mixture of CMIT/MIT)

Nomenclature BPR: C(M)IT/MIT (3:1)

CAS number: 55965-84-9

Product-type 6: Preservatives for products during storage

Assessment status: Approved

Commission Implementing Regulation (EU) 2016/131

### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

#### **SECTION 16: Other information**

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no quarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNFI: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

Date 7/2/2021 Production Name AQUASTOP FLEX (B) Page n. 9 of 10

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: Keep Away From Heat KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

**PSG:** Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

 Date
 7/2/2021
 Production Name
 AQUASTOP FLEX (B)
 Page n. 10 of 10